DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 02/04/2010 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING			(X3) DATE SURVEY COMPLETED	
		295044	B. WING			C 06/15/2006	
NAME OF PROVIDER OR SUPPLIER HEARTHSTONE OF NORTHERN NEVADA				19	EET ADDRESS, CITY, STATE, ZIP CODE 50 BARING BLVD PARKS, NV 89434	, , ,	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG		PROVIDER'S PLAN OF CORRECT (EACH CORRECTIVE ACTION SHOL CROSS-REFERENCED TO THE APPRO DEFICIENCY)	SHOULD BE COMPLETION	
F 000	INITIAL COMMENTS		F 000				
	the result of a compla at your facility on 6/19. The findings and con by the Health Division prohibiting any crimin actions or other claim available to any party state or local laws. Complaint #NV00011 incident involving em The allegation of staf	clusions of any investigation in shall not be construed as all or civil investigations, is for relief that may be under applicable federal, 898 was a self-reported ployee abuse of a resident. If abuse was substantiated; by was cited since the facility					

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

Facility ID: NVN556S

(X6) DATE